




Drillhole Location Plan Map



Tyva
Republic
Kara Beldyr Project




Ezen Zone, Section 400NW



This information should be read together with our news release of May 15, 2012.


David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Ezen Zone, Section 600NW




This information should be read together with our news release of May 15, 2012.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Ezen Zone, Section 800NW




Ezen Zone, Section 850NW




Ezen Zone, Section 950NW




Ezen Zone, Section 1050NW




Gord Zone, Section 1900NW



Camp Zone, Section 1550NW



Baran Zone, Section 1250NW



Centerra Gold Inc. - Kara-Beldyr 2012 Drilling Results

Period January 1st, 2012 to March 31st, 2012

Page 1 of 2

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)
Ezen	200NW	KB-131	no significant intercepts			
	400NW	KB-129	108.8	110.0	1.2	15.18
		KB-130	no significant results			
	600NW	KB-126	97.7	98.7	1.0	2.88
			102.7	103.7	1.0	5.24
			163.2	164.2	1.0	44.88
		KB-127	150.0	151.0	1.0	1.11
			17.6	18.5	0.9	0.61
		KB-128	59.0	63.2	4.2	2.56
			72.0	73.2	1.2	0.74
	800NW	KB-124	60.9	61.8	0.9	1.93
			81.6	82.5	0.9	3.62
		KB-125	no significant intercepts			
	850NW	KB-115	109.5	110.5	1.0	3.24
			132.0	133.0	1.0	0.75
			140.0	143.0	3.0	0.53
			185.4	186.4	1.0	0.70
	950NW	KB-112	8.0	9.0	1.0	0.65
			15.0	18.0	3.0	0.86
			24.9	26.9	2.0	1.07
			81.0	82.0	1.0	1.28
			96.1	97.1	1.0	0.75
			101.1	102.0	0.9	0.70
	1050NW	KB-116	includes 29.1	33.8	4.7	3.82
			32.7	33.8	1.1	9.83
			38.0	39.0	1.0	2.20
			44.0	47.0	3.0	1.65
			67.0	68.0	1.0	1.46
			72.0	76.0	4.0	1.03
			79.5	80.5	1.0	1.45
			84.0	85.0	1.0	0.58
			175.1	176.1	1.0	3.81
			185.5	186.5	1.0	0.77
			196.0	198.0	2.0	0.71
		KB-117	94.2	95.2	1.0	2.84
			107.0	108.0	1.0	1.45
			135.7	138.0	2.3	1.04
			147.6	148.6	1.0	2.27
			160.5	162.3	1.8	1.81
			164.1	165.0	0.9	0.80
		KB-118	67.8	68.8	1.0	0.88
			81.8	85.8	4.0	0.59
			114.2	115.2	1.0	0.51
			125.7	126.8	1.1	0.81

Notes: All assays reported are actual values with no top cutting factor applied

Significant mineralized intervals are greater than 0.5 g/t

True widths for mineralized zones are about 70% to 90% of the stated down hole interval

This information should be read together with our news release of May 15, 2012.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101

Tables are current as of March 31st, 2012.



Centerra Gold Inc. - Kara-Beldyr 2012 Drilling Results

Period January 1st, 2012 to March 31st, 2012

Page 2 of 2

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)
Gord	1900NW	KB-109	8.0	10.0	2.0	0.98
			14.5	40.0	25.5	1.37
			<i>includes</i> 29.4	30.4	1.0	5.89
			48.0	62.0	14.0	1.84
			<i>includes</i> 54.0	55.0	1.0	4.85
Camp	1550NW	KB-119	86.0	87.0	1.0	0.88
		KB-120	34.4	36.4	2.0	1.13
			41.4	42.4	1.0	0.55
			50.4	51.6	1.2	5.21
		KB-121	no significant intercepts			
Baran	1250NW	KB-122	29.9	30.9	1.0	2.09
			44.9	46.1	1.2	0.67
			58.4	64.9	6.5	1.09
			132.8	133.9	1.1	0.53
		KB-123	160.8	162.0	1.2	0.86

Notes: All assays reported are actual values with no top cutting factor applied

Significant mineralized intervals are greater than 0.5 g/t

True widths for mineralized zones are about 70% to 90% of the stated down hole interval

This information should be read together with our news release of May 15, 2012.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101

Tables are current as of March 31st, 2012.